



White Lux

New!

PRIVACY DELUXE



Zero maintenance, water-repellent and stain-resistant are the features of the new co-extruded fencing



fencing

PRIVACY DELUXE

WPC BAMBOO

Novità!

For correct installation, maintain a centre-to-spacing of 1520 mm (from post centre to post centre)



Smooth slat on both sides



Fencing with methacrylate inserts

Any fastening profiles (spacer bar h2050 mm) in the columns must be requested.

The model is supplied with a fastening kit.

Colours available for Wpc Bamboo slats and posts *

White Lux



Colours available for methacrylate inserts *

99 Colourless
Transparent



99SS White
Satin



Colours available for seals *

01
White




* The actual colours may be different to those shown, it is possible to request colour samples



ELEMENTS



Classic slat



Rounded end slat
Closes top part of fencing



Methacrylate insert and seal



Colonna in Wpc 100x100 mm



3-groove Wpc post
for the angulars
of the fencing




2-groove Wpc post
for the central part
of the fencing



Side stand 190x110 mm



Concave corner stand



Convex corner stand

Corner stands



Fastening kit



Bolt down stand



Drivable stand




End cap




Wpc finishing profile
to insert in the
post groove


TECHNICAL DRAWINGS



Co-extruded slats
Normal and rounded




Bolt down plate
for fencing H 1000 - 1200 - 1400




Bolt down plate
for fencing H 1600 - 1800 - 2000


TECHNICAL DRAWINGS




H 1050
 n° 5 slats




H 1250
 n° 6 slats




H 1450
 n° 7 slats



H 1650
 n° 8 slats



H 1850
 n° 9 slats



H 2050
 n° 10 slats



CODE LIST

Characteristics		Dimensions (mm) L x H x Th.
WPC BAMBOO SLATS	White Lux	
Classic slat	AF170-1DB	1450x205x20
Rounded end slat	AF170-3DB	1450x200x20
METHACRYLATE INSERT (PMMA)	(add colour code of page 32)	
Methacrylate slat (PMMA)	AF-PMMA + colour code	1450x205x4
GUARNIZIONI (vendita al metro)	(add colour code of page 32)	
Guarnizione in plastica	AF-PMMA + colour code	18x8
COLONNE IN WPC BAMBOO	White Lux	
3-groove stand	AF171DB-1050	1050x100x100
3-groove stand	AF171DB-1250	1250x100x100
3-groove stand	AF171DB-1450	1450x100x100
3-groove stand	AF171DB-1650	1650x100x100
3-groove stand	AF171DB-1850	1850x100x100
3-groove stand	AF171DB-2050	2050x100x100
2-groove stand	AF171-1DB	1050x100x100
2-groove stand	AF171-2DB	1250x100x100
2-groove stand	AF171-3DB	1450x100x100
2-groove stand	AF171-4DB	1650x100x100
2-groove stand	AF171-5DB	1850x100x100
2-groove stand	AF171-6DB	2050x100x100
WPC SPACERS	White Lux	
Wpc spacers to insert on vertical groove of Wpc posts	AF119DB	H 2050
END CAPS	White Lux	
WPC end cap	AF1313DB	110x110x43
FASTENING KIT		Code list
Fastening kit for PRIVACY fence including: two hooks with screws and reinforcing core L 1450mm		KIT-P
Characteristics	Code list	Dimensions (mm)
PIANTANE ZINCATE		
Galvanized stand with bolt down plate	AF400Z	Base 100x100x8 - Round holes Tubular 40x40x2 - H 1000
	AF403Z	Base 190x110x8 - Round holes Tubular 40x40x3 - H 1200
Drivable galvanized stand	AF404Z	40x40x2 - H 1200
	AF402Z	40x40x2 - H 1500
	AF405Z	40x40x2 - H 2000
Side stand	AF407Z	Base 190x110 - Tubular 40x40 - H 1000
Concave corner stand	AF408Z	Double plate 160x100 to be fastened to wall H1000 and tube 40x40
Convex corner stand	AF409Z	Double plate 160x100 to be fastened to wall H1000 and tube 40x40
RECOMMENDED STANDS		
PRIVACY	For fencing of height 1050 - 1250 mm stand 100x100	stand 100x100
PRIVACY	For fencing of height 1450 - 1650 - 1850 - 2050 mm stand 190x100	stand 190x100