



White Lux

New!




VEDO NON VEDO DELUXE

Zero manutenzione, idrorepellente ed antimacchia sono le caratteristiche della nuova recinzione coestrusa

components

VEDO NON VEDO DELUXE

WPC BAMBOO



Internally: WPC Bamboo
Externally: High-density, resistant polymer

fencing

VEDO NON VEDO DELUXE

WPC BAMBOO

Novità!

For correct installation, maintain a centre-to-spacing of 2060 mm (from post centre to post centre)



Fencing front and rear side



FENCING WITH WPC POSTS
for standard modules with 2050 mm
centre-to-centre post distance and
standard spacing 20 mm

H	N° slats	N° spacers
H 1050	7	12
H 1250	8	14
H 1450	9	16
H 1650	11	20
H 1850	12	22
H 2050	13	24

The spacer is intended from the
next slat and not from the ground

The slats are supplied with a galvanised steel reinforcing core L 1900x20x10mm to ensure greater durability.

Any fastening profiles (spacer bar h2050 mm) in the columns must be requested.

The model is supplied with a fastening kit.

Colours available for slats and wpc bamboo posts *

White Lux



* The actual colours may be different to those shown, it is possible to request colour samples



ELEMENTS



**"Vedo non vedo"
slat**




**Wpc finishing post to insert
in the post groove**




**Cold galvanized pipe
reinforced core**



**Wpc post
100x100 mm**



**3-groove Wpc post
for the angulars
of the fencing**




**2-groove Wpc post
for the central part
of the fencing**



**Side stand
190x110 mm**



Concave corner stand



Convex corner stand

**Corner
stands**



**Fastening
kit**



**Bolt down
stand**




**Drivable
stand**




End cap


TECHNICAL DRAWINGS



"Vedo non vedo" slat



Spacer/Finishing post



Bolt down plate


fencing

VEDO NON VEDO DELUXE

WPC BAMBOO


Novità!

TECHNICAL DRAWINGS




H 1050

n° 7 slats, n° 12 spacers




H 1250

n° 8 slats, n° 14 spacers




H 1450

n° 9 slats, n° 16 spacers




H 1650

n° 11 slats, n° 20 spacers



H 1850

n° 12 slats, n° 22 spacers



H 2050

n° 13 slats, n° 24 spacers

VEDO NON VEDO DELUXE

WPC BAMBOO



CODE LIST

Characteristics	Code list and colours	Dimensions (mm) L x H x Th.
WPC BAMBOO SLATS	White Lux	
"Vedo non vedo" slat	AF112BD	1990x130x20
"Vedo non vedo" slat	AF113BD	1450x130x20
Reinforcing core	ANIMA	1990x20x10
Reinforcing core	ANIMA 1450	1450x20x10
WPC BAMBOO POSTS	White Lux	
3-groove stand	AF171DB-1050	1050x100x100
3-groove stand	AF171DB-1250	1250x100x100
3-groove stand	AF171DB-1450	1450x100x100
3-groove stand	AF171DB-1650	1650x100x100
3-groove stand	AF171DB-1850	1850x100x100
3-groove stand	AF171DB-2050	2050x100x100
2-groove stand	AF171-1DB	1050x100x100
2-groove stand	AF171-2DB	1250x100x100
2-groove stand	AF171-3DB	1450x100x100
2-groove stand	AF171-4DB	1650x100x100
2-groove stand	AF171-5DB	1850x100x100
2-groove stand	AF171-6DB	2050x100x100
WPC SPACERS	White Lux	
Wpc spacers for small space	AF118DB	20 H
Wpc spacers to insert on Wpc post vertical groove	AF119DB	2050 H
END CAPS	White Lux	
WPC end cap	AF1313DB	110x110x43
FASTENING KIT		Code list
Fastening kit for VEDO NON VEDO two hooks with screws		KIT-VNV
Characteristics	Code list	Dimensions (mm)
GALVANIZED STANDS		
Galvanized stand with bolt down plate	AF400Z	Base 100x100x8 - Round holes Tubular 40x40x2 - H 1000
	AF403Z	Base 190x110x8 - Round holes Tubular 40x40x3 - H 1200
Drivable galvanized stand	AF404Z	40x40x2 - H 1200
	AF402Z	40x40x2 - H 1500
	AF405Z	40x40x2 - H 2000
Side stand	AF407Z	Base 190x110 - Tubular 40x40 - H 1000
Concave corner stand	AF408Z	Double plate 160x100 to be fastened to wall H1000 and tube 40x40
Convex corner stand	AF409Z	Double plate 160x100 to be fastened to wall H1000 and tube 40x40
RECOMMENDED STANDS		
VEDO NON VEDO	For fencing of height 1050 - 1250 - 1450 mm	stand 100x100
VEDO NON VEDO	For fencing of height 1650 - 1850 - 2050 mm	stand 190x100